

	Type	Hits	Search Text	DBs
1	BRS	279	712/227.ccls.	USPAT
2	BRS	30	replay\$3 adj execut\$4	USPAT
3	BRS	51	714/17.ccls.	USPAT
4	BRS	0	interrupt\$4 with(replay\$3 adj execut\$4)	USPAT
5	BRS	224	interrupt\$4 with ((replay\$3 adj execut\$4) or (reexecut\$3 or re-execut\$3))	USPAT
6	BRS	294	712/228.ccls.	USPAT
7	BRS	535	717/127-135.ccls.	USPAT
8	BRS	1	"5963737".pn.	USPAT
9	BRS	N/A	cache with state with (sav\$3 or stor\$)	USPAT
10	BRS	130	cache with state with (sav\$3)	USPAT
11	BRS	793	(host or external) with debug\$4	USPAT
12	BRS	0	(host or external) with debug\$4 and "714"/.??ccls	USPAT
13	BRS	231	(host or external) with debug\$4 and 714/??ccls.	USPAT
14	BRS	82	(host or external) with debug\$4 and 714/??ccls. and exception	USPAT
15	BRS	1	"5724505".pn.	USPAT
16	BRS	3	"5963737".pn. or "6247118".pn. or "5724505".pn. or "6247118".pn.	USPAT
17	BRS	4	"5963737".pn. or "6247118".pn. or "5724505".pn. or "6247118".pn. or "5530804".pn.	USPAT
18	BRS	1	"6098166".pn.	USPAT
19	BRS	5046	stress near2 test\$4	USPAT
20	BRS	10	processor with (stress near2 test\$4)	USPAT
21	BRS	8	replay\$3 adj execut\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	replay adj handler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	44	instruction adj replay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	364	dixie.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

25	BRS	1448	(self near2 test\$4) same processor	USPAT
----	-----	------	--	-------

	Type	Hits	Search Text	DBs
26	BRS	1386	(self adj test\$4) same processor	USPAT
27	BRS	741	(self adj test\$4) with processor	USPAT
28	BRS	269	(self adj test\$4) near3 processor	USPAT
29	BRS	5	(loop or repeat\$3 or replay\$3) near2(self adj test\$4) near3 processor	USPAT
30	BRS	3993	loop near2 test\$3	USPAT
31	BRS	1032	(loop near2 test\$3) and processor and instruction\$3	USPAT
32	BRS	11	instruction\$3 adj (loop near2 test\$3) and processor	USPAT
33	BRS	5	Willkie.in.	USPAT
34	BRS	1	"5923705".pn.	USPAT
35	BRS	0	"09411408".an.	USPAT
36	BRS	0	"9411408".an.	USPAT
37	BRS	0	"9411408".ap.	USPAT
38	BRS	6	"411408"	USPAT
39	BRS	33	(self adj test\$4) near3 interrupt	USPAT
40	BRS	449	714/30.ccls.	USPAT
41	BRS	1	"3688263".PN.	USPAT
42	BRS	1	"4095268".PN.	USPAT
43	BRS	1	"5555249".PN.	USPAT
44	BRS	0	"5678003".PN.	USPAT
45	BRS	1	"5678003".PN.	USPAT
46	BRS	1	"5704033".PN.	USPAT
47	BRS	1	"5758059".PN.	USPAT
48	BRS	1	"5951696".PN.	USPAT
49	BRS	1	"6125416".PN.	USPAT
50	BRS	1	"6349397".PN.	USPAT
51	BRS	140	714/30.ccls. and interrupt	USPAT
52	BRS	98	714/30.ccls. and interrupt and test\$3	USPAT
53	BRS	21	(run adj time) with(self adj test\$3)	USPAT
54	BRS	0	(on adj line) with(self adj test\$3)	USPAT
55	BRS	18	(online) with(self adj test\$3)	USPAT
56	BRS	585	714/25.ccls.	USPAT
57	BRS	29	loop adj self adj test\$3	USPAT
58	BRS	67	periodic adj self adj test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	16	interrupt and(periodic adj self adj test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	1	"6065106".pn.	USPAT
61	BRS	449	714/30.ccls.	USPAT
62	BRS	9	meonske	USPAT